

FOR DISTRIBUTION AND USE ONLY WITHIN THE STATE OF IDAHO

TILT®

EPA REG. NO. 100-617 EPA SLN NO. ID-980004

For Control of Leaf and Glume Blotch Diseases (Septoria Tritici and Stagonospora Nodorum) and Rusts (Puccinia Spp.) in Wheat

FAILURE TO FOLLOW THE DIRECTIONS FOR USE AND PRECAUTIONS ON THIS LABEL MAY RESULT IN POOR PEST CONTROL, CROP INJURY, OR ILLEGAL RESIDUES.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Follow all applicable directions, restrictions, and precautions including statements pertaining to the Worker Protection Standards, on the EPA-registered Tilt label.

This label must be in the possession of the user at the time of application.

Wheat

In wheat, Tilt controls leaf and glume blotch (*Septoria tritici* and *Stagonospora nodorum*) and rusts (*Puccinia* spp.). Apply 4 fl. oz. of Tilt per acre by ground or aerial application. Tilt can be applied through Feekes Growth Stage 10.5 (full head emergence). **Do not** apply after this growth stage to avoid possible illegal residues. Tilt may be applied earlier if disease symptoms appear.

Notes: To avoid possible illegal residues: (1) **DO NOT** apply more than 4 fl. oz. of Tilt per acre per season. (2) **DO NOT** apply within 40 days of harvest. (3) **DO NOT** graze or feed livestock treated wheat, straw, forage, or hay. (4) **DO NOT** cut the green crop for hay or silage. (5) After harvest, the straw may be used for bedding.

Tilt® trademark of Syngenta © Syngenta

24(c) registrant: Syngenta Crop Protection, Inc. P.O. Box 18300 Greensboro, NC 27419-8300

EPA SLN No. ID-980004

Label Code:

Word:IDTiltLeaf&GlumeBlotchLeafRustSLNLbl